

The U.S. Drug Enforcement Administration issued a final order placing 2-methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-yl)piperazin-1-yl)butan-1-one), including its optical and geometric isomers, esters, ethers, salts, and salts of isomers, esters, and ethers whenever the existence of such isomers, esters, ethers, and salts is possible within the specific chemical designation, in schedule I of the Controlled Substances Act effective April 15, 2024. This final rule was published in the *Federal Register*, Volume 89, Number 52, pages 18793-18796.

This scheduling action was taken pursuant to the following:

1. 2-Methyl AP-237 has a pharmacological profile and potential for abuse similar to other classical opioids such as fentanyl (schedule II), morphine (schedule II), and heroin (schedule I);

2. 2-Methyl AP-237 has no currently accepted medical use in treatment in the United States; and

3. Control of 2-methyl AP-237 is required to meet the United States' obligation under the 1961 United Nations Single Convention on Narcotic Drugs.

The U.S. Drug Enforcement Administration issued a final order permanently placing 2-(2-(4-ethoxybenzyl)-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine (other names: etodesnitazene; etazene), 2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole (other names: N-pyrrolidino etonitazene; etonitazepyne), and N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine (other name: protonitazene), including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers whenever the existence of such isomers, esters, ethers, and salts are possible within the specific chemical designation, in schedule I of the Controlled Substances Act effective April 11, 2024. This final rule was published in the *Federal Register*, Volume 89, Number 71, pages 25514-25517.

This scheduling action was taken pursuant to the following:

1. Etodesnitazene, *N*-pyrrolidino etonitazene, and protonitazene share a pharmacological profile with etonitazene (schedule I), isotonitazene (schedule I), and other schedule I and II synthetic opioids;

2. The use of etodesnitazene, *N*-pyrrolidino etonitazene, and protonitazene presents a high risk of abuse and have negatively affected users and communities; and,

3. Etodesnitazene, *N*-pyrrolidino etonitazene, and protonitazene have no currently accepted medical use in treatment in the United States.

The U.S. Drug Enforcement Administration issued temporary order extending the placement of 2-(2-(4-Butoxybenzyl)-5-nitro-1*H*-benzimidazol-1-yl)-*N,N*-diethylethan-1-amine (other name: butonitazene), *N,N*-Diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1*H*-benzimidazol-1-yl)ethan-1-amine (other name: flunitazene), and *N,N*-Diethyl-2-(2-(4-methoxybenzyl)-1*H*-benzimidazol-1-yl)ethan-1-amine (other name: metodesnitazene) including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers whenever the existence of such isomers, esters, ethers, and salts are possible within the specific chemical designation, in schedule I of the Controlled Substance Act effective April 12, 2024. This temporary order was published in the *Federal Register*, Volume 89, Number 71, pages 25517-25519. This scheduling action was taken based on a finding that these substances pose an imminent hazard to the public safety.

Pursuant to the Texas Controlled Substances Act, Health and Safety Code Section 481.034(g), , at least thirty-one days have expired since notice of the above referenced actions were published in the Federal Register. In the capacity as Commissioner of the Texas Department of State Health Services, Jennifer Shuford, M.D., does hereby order that the substance 2-Methyl AP-237, etodesnitazene, *N*-pyrrolidino etonitazene, and protonitazene be placed into schedule I, and butonitazene, flunitazene, and metodesnitazene remain temporarily placed in a schedule I.

-Schedule I Opiates

The following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, unless specifically excepted, if the existence of these isomers, esters, ethers, and salts are possible within the specific chemical designation:

- (1) α -Acetyl- α -methylfentanyl (*N*-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-*N*-phenylacetamide);e
- (2) α -Acetylmethadol;e
- (3) α -Acetyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylacetamide);e
- (4) α -Acryl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylacrylamide) (Other name: acryloylfentanyl);e
- (5) α -AH-7921 (3,4-dichloro-*N*-[1-(dimethylamino)cyclohexymethyl]benzamide);e
- (6) α -Allylprodine;e
- (7) α -Alphacetylmethadol (except levo- α -cetylmethadol, levo- α -acetylmethadol, levomethadyl acetate, or LAAM);e
- (8) α '-Methyl butyryl fentanyl (2-methyl-*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylbutanamide);e
- (9) α -Methylfentanyl or any other derivative of fentanyl;e
- (10) α -Methylthiofentanyl (*N*-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-*N*-phenylpropanamide);e
- (11) α -Benzethidine;e
- (12) β -Hydroxyfentanyl (*N*-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-*N*-phenylpropanamide);e
- (13) β -Hydroxy-3-methylfentanyl (*N*-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl]-*N*-phenylpropanamide);e
- (14) β -hydroxythiofentanyl (Other names: *N*-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-*N*-phenylpropionamide; *N*-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-*N*-phenylpropanamide);e
- (15) β -Methyl fentanyl (*N*-phenyl-*N*-(1-(2-phenylpropyl)piperidin-4-yl)propionamide);e
- (16) β '-Phenyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*,3-diphenylpropanamide)e (Other name: 3-phenylpropanoyl fentanyl);e
- (17) β -Betaprodine;e
- (18) β -Brorphine (1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one);e
- (19) β -Butyryl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylbutanamide);e
- (20) β -Clonitazene;e
- (21) β -Crotonyl fentanyl (Other name: (6-2-5) (E)-*N*-(1-Phenethylpiperidin-4-yl)-*N*-phenylbut-2-enamide);e
- (22) β -Cyclopentyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-Phenylcyclopentanecarboxamide);e
- (23) β -Cyclopropyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylcyclopropanecarboxamide);e
- (24) β -Diampromide;e
- (25) β -Diethylthiambutene;e
- (26) β -Difenoxin;e
- (27) β -Dimenoxadol;e
- (28) β '-5',5'-Dimethoxyfentanyl (*N*-(1-(2,5-dimethoxyphenethyl)piperidin-4-yl)-*N*-phenylpropionamide);e
- (29) β -Dimethylthiambutene;e

(30) ϵ -Dioxaphetyl butyrate;e
(31) ϵ -Dipipanone;e
(32) ϵ -Ethylmethylthiambutene;e
*(33) 2-(2-(4-ethoxybenzyl)-1*H*-benzimidazol-1-yl)-*N,N*-diethylethan-1-aminee
(Other names: etodesnitazene; etazene);e
(34) ϵ -Etonitazene;e
(35) ϵ -Toxeridine;e
(36) ϵ -Fentanyl carbamate (ethyl (1-phenethylpiperidin-4-yl)(phenyl)carbamate);e
(37) ϵ -4-Fluoroisobutyryl fentanyl (*N*-(4-fluorophenyl)-*N*-(1-phenethylpiperidin-4-yl)isobutyramide) (Other name: *p*-fluoroisobutyryl fentanyl);e
(38) ϵ -2'-Fluoro *o*-fluorofentanyl (*N*-(1-(2-fluorophenethyl)piperidin-4-yl)-*N*-(2-fluorophenyl)propionamide) (Other name: 2'-fluoro 2-fluorofentanyl);e
(39) ϵ -Furanyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylfuran-2-carboxamide);e
(40) ϵ -3-Furanyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylfuran-3-carboxamide);e
(41) ϵ -Furethidine;e
(42) ϵ -Hydroxypethidine;e
(43) ϵ -Isobutyryl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylisobutyramide);e
(44) ϵ -Isotonitazene (*N,N*-diethyl-2-(2-(4-isopropoxybenzyl)-5-nitro-1*H*-benzimidazol-1-yl)ethan-1-amine);e
(45) ϵ -Isovaleryl fentanyl (3-methyl-*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylbutanamide);e
(46) ϵ -Ketobemidone;e
(47) ϵ -Levophenacylmorphane;e
(48) ϵ -*m*-Fluorofentanyl (*N*-(3-fluorophenyl)-*N*-(1-phenethylpiperidin-4-yl)propionamide);e
(49) ϵ -*m*-Fluoroisobutyryl fentanyl (*N*-(3-fluorophenyl)-*N*-(1-phenethylpiperidin-4-yl)isobutyramide);e
(50) ϵ -Meproline;e
(51) ϵ -Methadol;e
(52) ϵ -Methoxyacetyl fentanyl (2-methoxy-*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylacetamide);e
*(53) 2-Methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-yl)piperazin-1-yl)butan-1-one);e
(54) ϵ -4'-Methyl acetyl fentanyl (*N*-(1-(4-methylphenethyl)piperidin-4-yl)-*N*-phenylacetamide);e
(55) ϵ -3-Methylfentanyl (*N*-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-*N*-phenylpropanamide);e
(56) ϵ -3-Methylthiofentanyl (*N*-[3-methyl-1-(2-thienyl)ethyl-4-piperidyl]-*N*-phenylpropanamide);e
(57) ϵ -Metonitazene (*N,N*-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1*H*-benzimidazol-1-yl)ethan-1-amine);e
(58) ϵ -Moramide;e
(59) ϵ -Morpheridine;e

(60) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);e
(61) MT-45 (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine);e
(62) Noracymethadol;e
(63) Norlevorphanol;e
(64) Normethadone;e
(65) Norpipanone;e
*(66) 2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidine-1-yl)ethyl)-1*H*-benzimidazole
(other names: *N*-pyrrolidino etonitazene; etonitazepyne);e
(67) Oxycodone (N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl)acetamide);e
(68) Oxycodone fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)acrylamide);e
(69) Oxycodone butyryl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide) (Other name: 2-fluorobutyryl fentanyl);e
(70) Oxycodone propionyl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)propionamide) (Other name: 2-fluorofentanyl);e
(71) Oxycodone furanyl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)furan-2-carboxamide);e
(72) Oxycodone isobutyryl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);e
(73) Oxycodone methyl acetylfentanyl (N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide) (Other name: 2-methyl acetylfentanyl);e
(74) Oxycodone methyl methoxyacetyl fentanyl (2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide) (Other name: 2-methyl methoxyacetyl fentanyl);e
(75) Oxycodone p-chloroisobutyryl fentanyl (N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);e
(76) Oxycodone fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);e
(77) Oxycodone fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidinyl]propanamide);e
(78) Oxycodone furanyl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)furan-2-carboxamide);e
(79) Oxycodone methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);e
(80) Oxycodone methoxyfuranyl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)furan-2-carboxamide);e
(81) Oxycodone methylcyclopropyl fentanyl (N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)cyclopropanecarboxamide);e
(82) Oxycodone methylfentanyl (N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)propionamide) (Other name: 4-methylfentanyl);e
(83) Propoxyphene (1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);e
(84) Phenadoxone;e
(85) Phenampromide;e
(86) Phencyclidine;e

- (87) Phenomorphan;e
 (88) Phenoperidine;e
 (89) Phenyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylbenzamide) (Other name: benzoyl fentanyl);e
 (90) Piritramide;e
 (91) Proheptazine;e
 (92) Properidine;e
 (93) Propiram;
 *(94) *N,N*-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1*H*-benzimidazol-1-yl)ethan-1-amine (other name: protonitazene);e
 (95) Tetrahydrofuranyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenyltetrahydrofuran-2-carboxamide);e
 (96) Thiofentanyl (*N*-phenyl-*N*-[1-(2-thienyl)ethyl-4-piperidinyl]-propanamide);e
 (97) Thiofuranyl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylthiophene-2-carboxamide) (Other names: 2-thiofuranyl fentanyl; thiophene fentanyl);e
 (98) Tilidine;e
 (99) Trimeperidine;e
 (100) DJ-47700 (3,4-dichloro-*N*-[2-(dimethylamino)cyclohexyl]-*N*-methylbenzamide);e
 (101) Valeryl fentanyl (*N*-(1-phenethylpiperidin-4-yl)-*N*-phenylpentanamide); and,e
 (102) Zipeprol (1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol).e

-Schedule I Temporarily Listed Substances Subject to Emergency Scheduling by the U.S. Drug Enforcement Administration

Unless specifically excepted or unless listed in another schedule, a material, compound, mixture, or preparation that contains any quantity of the following substances or that contains any of the substance's isomers, esters, ethers, salts and salts of isomers, esters, and ethers if the existence of the salts, esters, ethers isomers, and salts of isomers, esters, ethers is possible within the specific chemical designation:

(1) Fentanyl-related substances.e

(1-1) Fentanyl-related substance means any substance not otherwise listed under another Administration Controlled Substance Code Number, and for which no exemption or approval is in effect under Section 505 of the Federal Food, Drug, and Cosmetic Act [21 U.S.C. 355], that is structurally related to fentanyl by one or more of the following modifications:

(1-1-1) Replacement of the phenyl portion of the phenethyl group by any monocycle, whether or not further substituted in or on the monocycle;

(1-1-2) Substitution in or on the phenethyl group with alkyl, alkenyl, alkoxy, hydroxyl, halo, haloalkyl, amino or nitro groups;

(1-1-3) Substitution in or on the piperidine ring with alkyl, alkenyl, alkoxy, ester, ether, hydroxyl, halo, haloalkyl, amino or nitro groups;

(1-1-4) Replacement of the aniline ring with any aromatic monocycle whether or not further substituted in or on the aromatic monocycle; and/or

(1-1-5) Replacement of the *N*-propionyl group by another acyl group.

(1-2) This definition includes, but is not limited to, the following substances:

(1-2-1) *N*-(1-(2-Fluorophenethyl)piperidin-4-yl)-*N*-(2-fluorophenyl)propionamide (Other name: 2'-fluoro-*o*-fluorofentanyl);

(1-2-2) *N*-(2-Methylphenyl)-*N*-(1-phenethylpiperidin-4-yl)acetamide (Other name: *o*-methyl acetylfentanyl);

(1-2-3) *N*-(1-Phenethylpiperidin-4-yl)-*N*,3-diphenylpropanamide (Other names: β' -phenyl fentanyl; hydrocinnamoyl fentanyl); and,

(1-2-4) *N*-(1-Phenethylpiperidin-4-yl)-*N*-phenylthiophene-2-carboxamide (Other name: thiofuranyl fentanyl).

(2) ϵ -(2-(4-Butoxybenzyl)-5-nitro-1*H*-benzimidazol-1-yl)-*N,N*-diethylethan-1-amine (Other name: butonitazene);*e*

(3) ϵ *N,N*-Diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1*H*-benzimidazol-1-yl)ethan-1-amine (Other name: flunitazene);

(4) ϵ *N,N*-Diethyl-2-(2-(4-methoxybenzyl)-1*H*-benzimidazol-1-yl)ethan-1-amine (Other name: metodesnitazene);

(5) ϵ -(2-chlorophenyl)-2-ethyl-9-methyl-6*H*-thieno[3,2-*f*][1,2,4]triazolo[4,3-*q*][1,4]diazepine (Other name: etizolam);

(6) ϵ -chloro-6-(2-fluorophenyl)-1-methyl-4*H*-benzo[*f*][1,2,4]triazolo[4,3-*q*][1,4]diazepine (Other name: flualprazolam);*e*

(7) ϵ -(2-chlorophenyl)-1-methyl-8-nitro-4*H*-benzo[*f*][1,2,4]triazolo[4,3-*q*][1,4]diazepine (Other name: clonazolam);*e*

(8) ϵ -bromo-6-(2-fluorophenyl)-1-methyl-4*H*-benzo[*f*][1,2,4]triazolo[4,3-*q*][1,4]diazepine (Other names: 8-bromo-6-(2-fluorophenyl)-1-methyl-4*H*-[1,2,4]triazolo[4,3-*q*][1,4]benzodiazepine and flubromazolam);

(9) ϵ -chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2*H*-benzo[*e*][1,4]diazepin-2-one (Other name: diclazepam);

(10) ϵ Methyl 3,3-dimethyl-2-(1-(pent-4-en-1-yl)-1*H*-indazole-3-carboxamido)butanoate (Other name: MDMB-4en-PINACA);

(11) ϵ Methyl 2-[[1-(4-fluorobutyl)indole-3-carbonyl]amino]-3,3-dimethylbutanoate (Other names: 4F-MDMB-BUTICA; 4F-MDMB-BICA);


(12) ϵ *N*-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(pent-4-en-1-yl)-1*H*-indazole-3-carboxamide (Other name: ADB-4en-PINACA);

(13) ϵ -Pentyl-2-(2-phenylpropan-2-yl)pyrido[4,3-*b*]indol-1-one (Other names: CUMYL-PEGACLONE; SGT-151);

(14) ϵ Ethyl 2-[[1-(5-fluoropentyl)indole-3-carbonyl]amino]-3,3-dimethylbutanoate (Other names: 5F-EDMB-PICA; 5F-EDMB-2201); and,

(15) Methyl 2-(1-(4-fluorobenzyl)-1*H*-indole-3-carboxamido)-3-methyl butanoate (Other name: MMB-FUBICA).

Changes are marked by an asterisk (*).



Jennifer Shuford, M.D., M.P.H.

9/10/2024
Date