

TABLES & GRAPHICS

Graphic images included in rules are published separately in this tables and graphics section. Graphic images are arranged in this section in the following order: Title Number, Part Number, Chapter Number and Section Number.

Graphic images are indicated in the text of the emergency, proposed, and adopted rules by the following tag: the word "Figure" followed by the TAC citation, rule number, and the appropriate subsection, paragraph, subparagraph, and so on.

Figure: 7 TAC §97.113(a)(3)

For Credit Unions with Total Assets Of:

The Operating Fee is:

Less than \$200,000	\$200
\$200,000 but less than \$1M	\$200 plus .001625 of excess over \$200,000
\$1M but less than \$10M	\$1,500 plus .00034 of excess over \$1M
\$10M but less than \$25M	\$4,560 plus .00014 of excess over \$10M
\$25M but less than \$50M	\$6,660 plus .00017 of excess over \$25M
\$50M but less than \$100M	\$10,910 plus .00019 of excess over \$50M
\$100M but less than \$500M	\$20,410 plus .000080 of excess over \$100M
\$500M but less than \$1,000M	\$52,410 plus .000072 of excess over \$500M
\$1,000M but less than \$2,000M	\$88,410 plus .000069 of excess over \$1,000M
\$2,000M and over	\$157,410 plus .000062 of excess over \$2,000M

Figure: 28 TAC §34.1302(a)

Citation	Violation	Fine		Citation	Violation	Fine
	License and Registration			34.517(e)	Fixed system not installed or serviced by Type A or EPL	\$2,000.00
6001.152(a)	Branch office registration certificate required	\$1,000.00			Installation and Service	
6001.161(a)	Apprentice permit required	\$500.00		34.517(a)(1)	Portable extinguisher not installed/serviced/maintained IAW manufacturer's instructions	\$50.00-\$500.00
6001.251(a)(1)	No registration certificate (portable)	\$3,000.00		34.517(a)(2)	Service tag not attached upon completion	\$250.00
6001.251(a)(2)	No registration certificate (fixed)	\$3,000.00		34.517(b)(1)	Fixed system not planned/installed/serviced IAW "manufacturer's Instructions	\$50.00-\$500.00
6001.251(a)(3)	No license	\$3,000.00		34.517(b)(2)	Installation label not affixed to system upon completion	\$250.00

34.510(e)(10)(A)	No C registration for U.S. DOT extinguishers	\$2,000.00		34.517(b)(3)	Installation label not signed and affixed to system by Type A or PL licensee (non pre-engineered)	\$500.00
34.510(e)(10)(B)	No verification of U.S. DOT registration	\$2,000.00		34.517(b)(3)	Licensee who signed label was not at final test (non pre-engineered)	\$500.00
34.510(f)	Registration information not displayed on vehicle	\$250.00		34.517(b)(4)	Service tag not attached after service completion	\$500.00
34.511(f)(1)	Licensee not employed by registered firm	\$2,000.00		34.517(f)	Pre-engineered kitchen system not UL300	\$2,000.00
34.511(f)(3)	Failure to notify SFMO of termination of employee within 14 days	\$250.00		34.517(h)	Fusible link manufacturer date not within 1 year	\$500.00
34.513	Alteration of certificates, licenses, or permits	\$3,000.00		34.517(i)	Actuation cartridge not dated	\$500.00
34.514(a)(5)(b)	Failure to maintain proof of insurance on file at SFMO	\$750.00		34.517(j)	Tamper indicator not dated	\$500.00
34.510(k); 34.511(d)	Failure to revise or change an address within the required 14 days of change	\$250.00				

	Adopted Standards			34.518(a)	Shop drawings not on file or not given to owner	\$500.00
34.517(a)(1)	Failure to abide by adopted standards or manufacturers portable extinguishers	\$50.00-\$500.00		34.518(c)	Shop drawings not signed by EPL	\$500.00
34.517(b)(1)	Failure to abide by adopted standards or manufacturers requirements for fixed extinguishers			34.519(a)	Service tag not completed in detail	\$250.00
	Location and Business Practices			34.520(b)	Service tag not completed each time service is performed	\$500.00
34.510(d)	Failure to maintain business location	\$500.00		34.521(a)	Owner not notified immediately of impaired portable or fixed extinguisher	\$500.00
34.510(e)	Failure to maintain shop	\$50.00-\$500.00		34.521(a)	AHJ not notified within 24 hrs of impaired portable or fixed extinguisher	\$500.00

6001.252(a)(3)	Misrepresentation of goods or services	\$250.00- \$1,000.00		34.521(a)	Written notice to owner; copy of written notice to AHJ within 3 days	\$500.00
34.517(c)	Pre-engineered system not installed or serviced by authorized licensee	\$2,000.00		34.521(a)	Failed to attach red tag to impaired extinguisher	\$500.00
34.517(e)	Fixed system not planned by EPL or professional engineer	\$2,000.00		34.521(a)	Service tag attached to impaired extinguisher	\$1,000.00

34.514(a)(5)(B)	Lapse of Insurance				
Months	Punitive	+	Amount saved	=	Total
0 - 1	\$200	+	\$125	=	Warning Letter
1 - 2	\$500	+	\$250	=	\$750
2 - 3	\$500	+	\$375	=	\$875
3 - 4	\$500	+	\$500	=	\$1,000
4 - 5	\$500	+	\$625	=	\$1,125
5 - 6	\$500	+	\$750	=	\$1,250
6 - 7	\$750	+	\$875	=	\$1,625
7 - 8	\$750	+	\$1,000	=	\$1,750
8 - 9	\$750	+	\$1,125	=	\$1,875
9 - 10	\$750	+	\$1,250	=	\$2,000
10 - 11	\$750	+	\$1,375	=	\$2,125
11 - 12	\$750	+	\$1,500	=	\$2,250

Figure: 28 TAC §34.1302(b)

6002.152(a)	Branch office registration certificate required	\$1,000.00	34.617	Failure to distribute/retain certificate	\$500.00
6002.154(a)	No licensed employee	\$1000.00	34.618	Installation inspection improperly performed/documented	\$50.00-\$500.00
6002.154(b)	No license	\$3,000.00	34.618	Installation inspection improperly documented	\$500.00
6002.154(c)	Licensee not an employee of registered firm	\$750.00	34.618	Installation inspection docs not on file for 5 yrs	\$500.00
6002.301	Engage in business w/o license or registration certificate	\$3,000.00			
	Adopted Standards		34.619(a)	System/modification not planned by authorized person	\$3,000.00
34.616(b)(4)	Violation of standards established by 34.607	\$50.00-\$500.00	34.619(b)	Plans not submitted to AHJ	\$500.00
34.6616(b)(4)	Violation of standards established by manufacturers	\$50.00-\$500.00	34.619(b)	Plans incorrectly submitted to AHJ	\$250.00

	requirements (NFPA 72, §10.3.2)				
				Labels	
	Location Business Practices		34.620(a)	Installation label not affixed to inside of control panel cover	\$500.00
34.610(a)	Failure to maintain business location	\$500.00	34.620(d)	Installation label improperly formatted or incomplete	\$500.00
34.610(b)	Designated employee	\$500.00	34.620(f)	Installation label incorrectly formatted or incomplete (1 or 2 family)	\$500.00
34.610(c)	Registration information not displayed on vehicle	\$250.00	34.621(a)	Service label not affixed to control panel cover	\$500.00
34.611(f)(2)	Failure to notify SFMO of termination of employee within 14 days	\$250.00	34.621(b)	Information about yellow or red label not on service label that corrected the impairments	\$500.00
34.616(b)(1)	Installation not performed by (or under direct supervision of) authorized licensee	\$3,000.00	34.623(c) (yellow) 34.624(c) (red)	Owner or AHJ not notified of impairment	\$500.00

34.616(b)(1)	Certifying licensee not licensed under ACR of primary registered firm or certifying licensee not present for final acceptance test	\$1,000.00	34.621(h)	Service label improperly formatted or incomplete	\$500.00
34.616(b)(2)	Licensee attaching label not licensed under ACR of primary registered firm	\$1,000.00	34.622(a)	Inspection/test label not filled out in detail or not affixed to inside of control panel cover	\$500.00
34.616(b)(2)	Service and maintenance not performed by or under direct supervision of authorized licensee	\$3,000.00	34.622(d)	Owner or AHJ not notified of impairment	\$500.00
6002.302(a)(3)	Misrepresentation of goods or services	\$250.00-\$1,000.00	34.622(j)	Inspection/test label incorrectly formatted/incomplete	\$500.00
34.610(h); 34.611(d)	Failure to revise or change an address within the required 14 days of change	\$250.00			
	Monitoring		34.623(a)	Completed yellow label not attached to outside	\$500.00

				of control panel of impaired system	
34.616(c)(1)	Monitoring an alarm for an unregistered firm	\$3,000.00	34.623(g)	Yellow label incorrectly formatted/incomplete	\$500.00
34.616(c)(2)(A)	Connecting an alarm to an unregistered monitoring firm	\$2,000.00	34.624(a)	Completed red label not attached to outside of impaired system	\$1,000.00
34.616(3)	No licensed technician at central station	\$1,000.00	34.624(g)	Red label improperly formatted/incomplete	\$500.00

34.613(a)(5)(B)	Lapse of Insurance				
Months	Punitive	+	Amount saved		Total
0 - 1	\$200	+	\$125	=	Warning Letter
1 - 2	\$500	+	\$250	=	\$750
2 - 3	\$500	+	\$375	=	\$875
3 - 4	\$500	+	\$500	=	\$1,000
4 - 5	\$500	+	\$625	=	\$1,125
5 - 6	\$500	+	\$750	=	\$1,250
6 - 7	\$750	+	\$875	=	\$1,625
7 - 8	\$750	+	\$1,000	=	\$1,750
8 - 9	\$750	+	\$1,125	=	\$1,875
9 - 10	\$750	+	\$1,250	=	\$2,000
10 - 11	\$750	+	\$1,375	=	\$2,125
11 - 12	\$750	+	\$1,500	=	\$2,250

Figure: 28 TAC §34.1302(c)

Citation	Violation	Fine		Citation	Violation	Fine
	Certificates of Registration and Licenses				Planning and Installation	
6003.151(a)	Engage in business w/o registration certificate	\$3,000.00		34.717(b)	Failed to maintain copy of updated plans	\$500.00
6003.153(b)	Act as responsible managing employee (RME) w/o holding license	\$3,000.00		34.717(c)	Plans do not contain required signatures/ information about firm or licensee	\$500.00
34.710(a)	Subcontracting to unregistered firm to perform work of fire protection sprinkler contractor	\$3,000.00		34.717(c)(2)	Plans not submitted to AHJ for review/permit/rating/record	\$500.00
34.711(a)	Firm's RME not licensed, or license expired	\$1,000.00		34.717(c)(2)	Plans incorrectly submitted to AHJ	\$250.00
34.711(e)(1)	Licensee working not employed by registered firm	\$750.00			Tags	

34.711(e)(2)	Firm failed to notify SFMO of termination of employee w/in 14 days	\$250.00		34.718(a)	Installation tag not completed, not completed in detail, not attached to riser	\$500.00
34.710(g); 34.711(d)	Failure to revise or change an address within the required 14 days of change	\$250.00				
	Adopted Standards			34.718(b)	ITM tag not attached to riser after installation/required tests and inspections	\$500.00
34.716(i)	Planning/installation/service not in accordance with adopted standards	\$50.00-\$500.00		34.719(a)	Service tag not completed and/or not attached to riser	\$500.00
	Location/Business Practices			34.719(c)	New service tag not attached after service	\$500.00
34.710(b)	Failure to maintain business location on certificate of registration	\$500.00		34.719(g)	Service tags improperly formatted	\$250.00
34.711(f)	Individual not licensed for work performed	\$3,000.00		34.720(a)	ITM tag not completed and/or attached to riser after scheduled inspection, testing or maintenance service	\$500.00

34.716(a)	System not installed under supervision of appropriately licensed individual	\$3,000.00		34.720(c)	New ITM tag not completed and attached after each service	\$500.00
34.716(b)	Individual did not affix material and test certificate on or near riser	\$500.00		34.720(g)	ITM tag improperly formatted	\$250.00
34.716(c)	Inspection/test/maintenance service not conducted by appropriately licensed individual	\$3,000.00		34.721(a)	Yellow tag not completed and/or attached to noncompliant system	\$500.00
34.716(d)	Records not available for examination	\$500.00		34.721(c)	Building owner/representative/AHJ not notified of noncompliant system	\$500.00
34.716(e)	Vehicles do not display company name, tel. number and certificate of registration	\$250.00		34.721(f)	Yellow tag improperly formatted	\$250.00
34.716(g)	The planning not performed under the direct supervision of the appropriately licensed RME.	\$500.00		34.722(a)	Red tag not completed and attached to system with an emergency impairment	\$500.00
34.716(h)	Planning, installation, or service of a fire protection sprinkler system not in accord with the minimum	\$3,000.00		34.722(b)	Owner/representative/AHJ not orally notified immediately of impairment	\$500.00

	requirements of the applicable adopted standards					
6003.25 2(3)	Misrepresentation	\$250.00- \$1,000.00		34.722(b)	Owner/representative/AHJ not notified in writing of impairment within 24 hours	\$500.00
	Planning and Installation			34.722(g)	Red tag improperly formatted	\$250.00
34.717(a)	Failed to provide as built plans to the owner	\$500.00				
34.717(a)	Failed to maintain a copy of plans	\$500.00				
34.717(b)	Failed to provide updated plans to owner	\$500.00				

34.713(a)(7)(B)	Lapse of Insurance				
Months	Punitive	+	Amount saved	=	Total
0 - 1	\$200	+	\$125	=	Warning Letter
1 - 2	\$500	+	\$250	=	\$750
2 - 3	\$500	+	\$375	=	\$875
3 - 4	\$500	+	\$500	=	\$1,000
4 - 5	\$500	+	\$625	=	\$1,125
5 - 6	\$500	+	\$750	=	\$1,250
6 - 7	\$750	+	\$875	=	\$1,625
7 - 8	\$750	+	\$1,000	=	\$1,750
8 - 9	\$750	+	\$1,125	=	\$1,875
9 - 10	\$750	+	\$1,250	=	\$2,000
10 - 11	\$750	+	\$1,375	=	\$2,125
11 - 12	\$750	+	\$1,500	=	\$2,250

Figure: 28 TAC §34.1302(d)

Code	GENERAL	FINE		Code	PATHWAYS/CORRIDORS OF EGRESS cont	Fine
34.817(m)	TRASH, cardboard or high grass within 10 ft of site	\$50.00		36.2.5.8	No clear exit path AROUND CHECKOUT aisle	\$250.00
34.832(12)	Supervisor less than 18 YEARS OLD (site closed until corrected)	\$500.00		7.11.5	Building has DEAD END CORRIDORS	\$150.00
34.832(12)	Individuals less than 16 YEARS OLD SELLING Fireworks	\$50.00		7.2.1.11.1	Turnstile, ropes or other DEVICES OBSTRUCT EGRESS	\$150.00
34.817(h)	Operator consuming or under influence of ALCOHOL	\$500.00			EXIT DOORS	
2154.252(c)	Fireworks sold or offered to CHILDREN under 16 years old or to an intoxicated or incompetent person	\$500.00		7.11.4	Less than TWO means of EGRESS if room >200 sqft	\$500.00
34.817(l)	No off highway PARKING provided	\$100.00		7.11.1	No EXIT WITHIN 75 ft of any point in the building	\$150.00
34.817(g)	SMOKING inside the site	\$500.00		7.7.1	Exits do not TERMINATE in open space (i.e. blocked)	\$150.00
34.817(g)	SMOKING outside within 10 feet of site	\$250.00		7.2.1.2.3.2	DOOR OPENINGS less than 32" wide	\$150.00
2154.202(g)	Selling fireworks OUTSIDE selling SEASON	\$250.00 TO \$500.00		7.2.1.4.2	Door "doesn't SWING OUT" in direction of egress	\$250.00
	FIREWORKS STORAGE			7.2.1.3.1	Floor ELEVATION change Interior >½ or Exterior door >8"	\$100.00
34.832(6)	Stored fireworks in sales area ACCESSIBLE to public	\$100.00		7.2.1.3.3	THRESHOLD at door exceeds ½" in height	\$100.00
34.832(7)	Fireworks storage room not RESTRICTED to employees only	\$100.00		7.11.6	DOORS latch or lock not fire or PANIC HARDWARE	\$1,000.00
34.832(7)	"NO SMOKING" signs not posted in storage room	\$50.00		7.2.1.5.2	Doors have KEY LOCKS on egress side.	\$500.00
	STORAGE (and retail sales) OVER 500 CASES			7.2.1.4.1(3)	Ex (a&c) Not LOCKED OPEN when occupied	\$250.00
34.823(a2)	Not of SOLID CONSTRUCTION or sound engineering	Case		7.2.1.4.1(3)	Ex (b) No "This Door To Remain OPEN etc..." SIGN	\$100.00
34.823(a3)	Electrical does not meet NATIONAL ELECTRIC CODE	\$25.00 TO \$250.00		Code	EXIT DOORS (cont)	Fine
34.823(a3)	No outside MASTER ELECTRICAL SWITCH	\$250.00		7.2.1.4.1(3)	Ex (e) No ONE PANIC hardware door without a roll-up	\$500.00
34.823(a4A)	LESS 50ft from inhabited bldg(s) or surface of highways	\$500.00			SIGNS	
34.823(a4A)	Not in compliance with distances in TABLE 1 34.824	\$500.00		7.10.1.2.1	Not all exits have "EXIT" SIGNS. (if exit not obvious)	\$100.00
34.823(a4B)	WINDOWS or sunlight on fireworks not diffused	\$500.00		7.10.6.1.1	"EXIT" SIGNS NON-COMPLIANT with standard	\$50.00
34.823(a4C)	STOVE, exposed flame or electric heater in storage area	\$500.00		7.10.2.1	Missing DIRECTIONAL SIGNS to exits (if not apparent)	\$50.00
34.823(a4D)	Swing EXIT DOOR locked, not marked or obstructed	\$250.00		7.10.6.2.1	Directional SIGNS NON-COMPLIANT with standard	\$50.00
34.823(a4E)	No Class A EXTINGUISHER for each 1000 sqft of floor	\$100.00		7.10.8.3	Missing "NO EXIT" sign on doors that could be mistaken	\$250.00
34.823(a4F)	Brush, dry grass, leaves or COMBUSTIBLES within 10ft	\$100.00		34.817(g)	"NO SMOKING" sign not posted OUTSIDE entrance doors	\$100.00
34.823(a4G)	Missing "NO SMOKING" signs. (4" letters)	\$100.00		34.817(g)	"NO SMOKING" sign not posted INSIDE entrance doors	\$100.00
34.823(a5)	No fence, SECURITY ALARM or 24 hr. personnel on site	\$500.00		34.817(g)	"NO SMOKING" sign not posted several location inside	\$100.00
34.823(a6)	Class I COMBUSTIBLES (gasoline) less 100 ft from bldg	\$100.00		34.817(g)	"NO SMOKING" sign lettering less than 4 inches high	\$50.00
34.823(a6)	CLASS I dispensing or vents less than 100 ft from bldg (site closed)	\$500.00			EMERGENCY LIGHTING (if over 3000 sq.ft.)	
34.823(b1)	No SUPERVISOR at least 18 years old on duty (site closed until corrected)	\$500.00		36.2.9	No EMERGENCY LIGHTING provided	\$500.00
34.832(3A)	< 60ft from INHABITED bldg. (w/o permit before 11-18-02)	\$500.00		7.8.1.3	Emergency lighting doesn't ILLUMINATE paths of egress	\$250.00
34.832(3B)	< 30ft from PROPERTY line (w/o permit before 11-18-02)	\$250.00		7.9.2.1	Emergency lighting DURATION is less than 1½ hrs	\$250.00
34.832(3C)	Does not comply with TABLE 1 or have fire sprinklers	\$500.00		7.9.3.1.1	No RECORD of emergency lighting inspection & TEST	\$100.00
	PATHWAYS/CORRIDORS OF EGRESS				STRUCTURE	
36.2.5.5	Means of EGRESS/AISLES less than 36 inches	\$150.00		34.832(1)	Building is not FREE STANDING or durable	Case
36.2.5.10	Means of egress < 36" + CART LENGTH (if using carts)	\$150.00		34.832(1)	Mezzanine or 2nd STORY accessible to the public	\$150.00
34.817(e)	Path to exit door OBSTRUCTED	\$250.00		34.832(1)	Selling from a TENT, boat, or mobile vehicle (site closed)	\$500.00
7.1.10.1	Egress not CONTINUALLY FREE of obstructions	\$150.00		34.817(k)	Bldg. single or multi-family RESIDENTIAL STRUCTURE (site closed)	\$500.00
Code	STRUCTURE cont	Fine		Code	STAIRS	Fine
34.832(1)	Sales area Multi-Use (other business) or MULTI-TENANT (site closed)	\$500.00		7.2.2.2.1	RISER not 4"-7" or TREADS less than 11" wide	\$100.00
34.832(18)	Sales area >2500 sqft with ave. CEILING HEIGHT < 12 ft	\$500.00		7.2.2.2.1.2	Less than 36" WIDE or < 56" wide if occupancy over 2000	\$100.00
34.832(10)	Stored behind glass with impinging direct SUNLIGHT	\$50.00		7.2.2.3.3.1	Stairs treads not SOLID	\$100.00
34.832(14)	No outside MASTER electrical switch	\$100.00		7.2.2.4.1.1	No HANDRAILS 34" to 38" high provided	\$100.00
9.1.2	Electrical WIRING and equipment APPEAR HAZARDOUS	\$25.00 TO \$250.00		7.1.8	Open stairs over 30" rise without a GUARD RAIL	\$100.00
	INTERIOR				STAIR LANDINGS	
34.832(5)	Inadequate PREVENTION of customers handling fwks	\$100.00		7.2.2.3.2.1	No LANDING at door opening	\$100.00
34.832(5)	RESTRAINT around displayed fireworks not durable	\$100.00		7.2.2.3.2.3	Landing LENGTH in direction of travel is less than width	\$100.00
34.832(5)	Customers HANDLING fireworks w/o attendant assistance	\$50.00		7.2.2.3.3.1	Horizontal landing not SOLID (i.e. grating or see through)	\$100.00
34.832(9)	small quantities of unused BOXES in sales/storage area	\$50.00			HANDRAILS	
34.832(11)	EXTENSION CORD located where public can walk over	\$50.00		7.2.2.4.4.1	Not 34" to 38" HIGH above leading edge of tread	\$100.00
34.832(11)	EXTENSION CORD supplies > one device w/o power strip	\$50.00		7.2.2.4.4.5	Less than 2½" CLEARANCE between rail and wall	\$100.00

34.832(11)	EXTENSION CORD unprotected from accidental damage	\$50.00		7.2.2.4.4.6	Handrails are not a CIRCULAR cross-section of 1½" to 2"	\$100.00
34.832(11)	EXTENSION CORD used in lieu of fixed structural wiring	\$25.00		7.2.2.4.4.7	Rail is not CONTINUOUS	\$100.00
34.832(11)	Power STRIP without internal circuit breaker	\$25.00		7.2.2.4.4.6	Improper TERMINATION or EXTENSION of rail	\$100.00
34.832(13)	Trash CONTAINERS not METAL or heavy plastic	\$25.00			GUARD RAILS	
34.832(13)	Trash CONTAINERS < 10ft AWAY from fireworks	\$250.00		7.1.8	No GUARD RAIL where egress is > 30" above floor/grade	\$100.00
34.832(15)	SPACE HEATER in sales/storage areas	\$100.00		7.2.2.4.5.2	Guard RAIL is less than 42" high.	\$100.00
34.832(17)	COOKING EQUIPMENT in sales/storage areas	\$100.00		7.2.2.4.5.3	Over 4" between any point in VERTICAL RAILS up to 34" high	\$100.00
34.817(d)	No 2A EXTINGUISHER per 2,000 sqft & within 75 ft travel	\$500.00			RAMPS	
34.817(p)	Internal combustion ENGINES operating inside retail site	\$500.00		7.2.5.3.2(1).	No LANDING at top, bottom or at door openings	\$100.00
36.3.3.2	Interior wall and ceiling FINISH is not type Class A or B	\$500.00		Tab 7.2.5.2	Single ramp in excess of a 30° RISE.	\$100.00
6.1.14.4.1	No FIREWALL -Btwn High Hazard & other occup > 200 sqft	\$500.00		Tab 7.2.5.2	SLOPE in excess of 1 in 8	\$100.00
	PAPERWORK			Tab 7.2.5.2	Less than 30" WIDE	\$100.00
34.817(j)	Original permit not posted in sales area	\$100.00		7.2.5.3.1(1)	Not permanent FIXED construction	\$100.00
34.817(j)	No permit (site closed until corrected)	\$500.00		7.2.5.3.1(4)	Not SOLID construction.	\$100.00
34.832(8)	Local FD or County FD not NOTIFIED of location in writing	\$100.00		7.2.5.4	No GUARD or HANDRAIL on ramp with rise over 6"	\$100.00
34.832(16)	PLAN not on file at SFMO office (site closed until corrected)	\$250.00			BULK MERCHANDISING >12,000 sqft	
	FIREWORKS			36.4.5	Violation(s) of Bulk Merchandising requirements	Case
2154.003	Illegal fireworks e.g. Bottle or Pop Rockets, M-80's	\$1,000.00			OTHER NFPA LIFE SAFETY CODE	
2154.003(b)	ILLEGAL fireworks (Bottle or Pop Rockets, M-80's)	\$1,000.00				
2154.251(2)	Sell <100' from storage and dispensing of flammables (closed until corrected)	\$500.00		34.832(19)	Violations of NFPA 101 the Life Safety Code®	Case
34.817(o)	Fireworks do not conform to USCPS LABELING	\$500.00		9.1.2	One or more FAULTS identified on Receptacle tester	\$25.00
34.817(i)	OTHER than fireworks or fireworks promotional items	100.00				

Figure: 28 TAC §34.1302(f)

CODE	VIOLATION	FINE
2154.252(b)	Offering 1.4G fireworks for sale from other than an authorized retail location	\$1,000.00
2154.252(d)	Sells fireworks to person who does not hold license or permit	\$1,000.00
34.815(b)(1)	Purchase of 1.4G Fireworks from an unlicensed distributor or jobber.	\$500.00
2154.201(a)	Issue other permit to a person under 18 years old.	\$500.00
34.815(c)(1)	Failed to return permits by March 1 st	\$100.00
34.832(16)	No site plan on file with SFMO	\$1,000.00
34.809(a)	Conduct 1.3G display without a permit	\$3,000.00
34.809(a)	Conduct a display without the appropriate licensed operator	\$3,000.00
34.826(c)	Failed to conduct display in compliance with NFPA 1123	\$500.00- \$1,000.00
34.826(f)	Failed to conduct a proximate display in compliance with NFPA 1126	\$500.00- \$1,000.00
34.826(h)	Used a flame effect and failed to comply with NFPA 160	\$500.00- \$1,000.00
34.810(e)	Failure to revise or change an address within the required 14 days of change	\$250.00